





Le grillage simple torsion plastifié est une solution idéale pour clôturer de vastes périmètres tout en offrant flexibilité et résistance.

- Constitution souple** : Fabriqué avec des fils tissés et un revêtement plastifié noir sur acier galvanisé, offrant une structure à la fois souple et polyvalente.
- Remaillable et élastique** : Sa conception permet une parfaite élasticité, facilitant l'adaptation à différents types de terrains.
- Solution économique** : Idéal pour les grands périmètres, offrant un bon rapport qualité-prix.
- Adaptation facile** : S'ajuste aisément aux terrains nivelés, garantissant une installation efficace.
- Solidité élevée** : Résiste aux collisions et aux chocs, assurant une durabilité optimale.

The plastic-coated twisted wire mesh is an ideal solution for enclosing large areas while offering flexibility and strength.

- Flexible Construction:** Made with woven wires and a black plastic coating on galvanized steel, providing a structure that is both flexible and versatile.
- Resilient and Elastic:** Its design offers excellent elasticity, making it easy to adapt to various types of terrain.
- Cost-Effective Solution:** Perfect for large areas, providing good value for money.
- Easy to Adapt:** Easily adjusts to levelled ground, ensuring efficient installation.
- High Durability:** Resistant to impacts and shocks, ensuring optimal longevity.



Références	Maille	Diamètre du fil	Hauteur
AC-M30PLASTIFIE	30 x 30 mm	Ø 1,60 / 2,40 mm	2 m
AC-M40PLASTIFIE	40 x 40 mm	Ø 1,60 / 2,40 mm	2 m
AC-M45PLASTIFIE	45 x 45 mm	Ø 2,1 / 3,1 ; 2,5 / 3,0 ; 2,6 / 3,8 mm	4 m
AC-M50PLASTIFIE	50 x 50 mm	Ø 1,6 / 2,4 ; 1,6 / 2,7 ; 2,1 / 3,1 ; 2,5 / 3,0 ; 2,6 / 3,8 ; 3,0 / 3,5 ; 3,9 / 4,4 mm	3 à 4 m
AC-M60PLASTIFIE	60 x 60 mm	Ø 2,1 / 3,1 ; 2,5 / 3,0 ; 2,6 / 3,8 ; 3,0 / 3,5 mm	4 m
AC-M80PLASTIFIE	80 x 80 mm	Ø 2,1 / 3,1 ; 2,5 / 3,0 ; 2,6 / 3,8 ; 3,0 / 3,5 mm	4 m